

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

TOIYAMA

Atty. Ref.: **2018-796**

Serial No. **Unknown**

Group:

Filed: **October 28, 2003**

Examiner:

For: **DYNAMIC FLOW RATE ADJUSTING METHOD FOR
INJECTOR**

* * * * *

October 28, 2003

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Sir:


As suggested by 37 C.F.R. 1.97, the undersigned attorney brings to the attention of the Patent and Trademark Office the reference listed on the attached form PTO-1449. This is not to be construed as a representation that a search has been made or that no better prior art exists, or that a reference is relevant merely because cited.

The Examiner is requested to initial the attached form PTO-1449 and to return a copy of the initialed document to the undersigned as an indication that the attached reference has been considered and made of record.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By:



Larry S. Nixon
Reg. No. 25,640

LSN:Imy
1100 North Glebe Road, 8th Floor
Arlington, VA 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100

